Acta Physiol Scand 1999, **167**, 351–353

Author index

Adding, L.C., Agvald, P., Persson, M.G. & Gustafsson, L.E. Visualization of nitric oxide formation in cell cultures and living tissue, 167
Agvald, P. *see* Adding, L.C.
Akoev, G.N. *see* Theander, S.
Antón, A. *see* Izquierdo, M.
Aoki, K. *see* Shibasaki, M.
Argibay, J. *see* Papp, Z.
Aunis, D. & Langley, K. Physiological aspects of exocytosis in chromaffin cells of the adrenal medulla, 89

Ballarin, F. *see* Biral, D.
Barton-Davis, E.R., Shoturma, D.I. & Sweeney, H.L. Contribution of satellite cells to IGF-I induced hypertrophy of skeletal muscle, 301
Bawa, P. & Sinkjær, T. Reduced short and long latency reflexes during voluntary tracking movement of the human wrist joint, 241
Betto, R. *see* Biral, D.
Biral, D., Ballarin, F., Toscano, I., Salviati, G., Yu, F., Larsson, L. & Betto, R. Gender- and thyroid hormone-related transitions of essential myosin light chain isoform expression in rat soleus muscle during ageing, 317
Bortoloso, E. *see* Margreth, A.
Boutelle, M.G. *see* Fillenz, M.
Braun, B. *see* Fulco, C.S.
Brundin, L. *see* Wiklund, N.P.
Butterfield, G. *see* Fulco, C.S.

Cartwright, J.E. *see* Fickling, S.A.
Cellek, S. *see* Wiklund, N.P.
Chou, C.-Y. *see* Shen, M.-R.
Chuiko, A.A. *see* Nesterova, M.A.
Cymerman, A. *see* Fulco, C.S.

Damiani, E. *see* Margreth, A.
Dar, D.E. *see* Zinder, O.
Degens, H. *see* Yu, F.
Dela, F. & Stallknecht, B. No role of interstitial adenosine in insulin mediated vasodilation, 37
Demirel, H.A., Powers, S.K., Naito, H. & Tumer, N. The effects of exercise duration on adrenal HSP72/73 induction in rats, 227
Duda, K. *see* Zoladz, J.A.

Edman, Å. *see* Theander, S.
Eriksson, P.-O. *see* Monemi, M.
Evertsen, F., Medbø, J.I., Jebens, E. & Gjøvaag, T.F. Effect of training on the activity of five muscle enzymes studied on elite cross-country skiers, 247

Fåhraeus, C. *see* Theander, S.
Fickling, S.A., Holden, D.P., Cartwright, J.E., Nussey, S.S., Vallance, P. & Whitley, G.St.J. Nitric oxide from theory to clinic: Acta Physiologica Symposium, Stockholm, May, 1996:, 145
Fillenz, M., Lowry, J.P., Boutelle, M.G. & Fray, A.E. The role of astrocytes and noradrenaline in neuronal glucose metabolism, 275

Fluckey, J.D., Ploug, T. & Galbo, H. Attenuated insulin action on glucose uptake and transport in muscle following resistance exercise in rats, 77
Fluckey, J.D., Ploug, T. & Galbo, H. Mechanisms associated with hypoxia- and contraction-mediated glucose transport in muscle are fibre-dependent, 83
Fray, A.E. *see* Fillenz, M.
Fulco, C.S., Rock, P.B., Muza, S.R., Lammi, E., Cymerman, A., Butterfield, G., Moore, L.G., Braun, B. & Lewis, S.F. Slower fatigue and faster recovery of the adductor pollicis muscle in women matched for strength with men, 233

Galbo, H. *see* Fluckey, J.D.
Galbo, H. *see* Fluckey, J.D.
Galbo, H. *see* Ihlemann, J.
Galler, S. Ca^{2+}-, Sr^{2+}-force relationships and kinetic properties of fast-twitch rat leg muscle fibre subtypes, 131
Garrues, M. *see* Izquierdo, M.
Gáspár, T. *see* Kis, B.
Gecse, Á. *see* Kis, B.
Gjøvaag, T.F. *see* Evertsen, F.
Gorostiaga, E. *see* Izquierdo, M.
Grampp, W. *see* Theander, S.
Gustafsson, F. & Holstein-Rathlou, N.-H. Conducted vasomotor responses in arterioles: characteristics, mechanisms and physiological significance, 11
Gustafsson, L.E. *see* Adding, L.C.
Gustafsson, L.E. *see* Wiklund, N.P.

Hackney, A.C. Influence of oestrogen on muscle glycogen utilization during exercise, 273
Häkkinen, K. *see* Izquierdo, M.
Han, C. *see* Tavi, P.
Han, C., Tavi, P. & Weckström, M. Role of the sarcoplasmic reticulum in the modulation of rat cardiac action potential by stretch, 111
Hedström, M. Hip fracture patients, a group of frail elderly people with low bone mineral density, muscle mass and IGF-I levels, 347
Helenius, H. *see* Lund, V.E.
Hirata, K. *see* Shibasaki, M.
Holden, D.P. *see* Fickling, S.A.
Holstein-Rathlou, N.-H. *see* Gustafsson, F.
Höök, P. *see* Ramamurthy, B.
Höök, P., Li, X., Sleep, J., Hughes, S. & Larsson, L. The effect of age on *in vitro* motility speed of slow myosin extracted from single rat soleus fibres, 325
Hsu, K.-F. *see* Shen, M.-R.
Hsu, K.-S. *see* Shen, M.-R.
Hughes, S. *see* Höök, P.
Hughes, S.M. & Schiaffino, S. Control of muscle fibre size: a crucial factor in ageing, 307

Ibañez, J. *see* Izquierdo, M.
Ihlemann, J., Galbo, H. & Ploug, T. Calphostin C is an inhibitor of contraction, but not insulin-stimulated glucose transport, in skeletal muscle, 69

© 1999 Scandinavian Physiological Society

Inoue, Y. *see* Shibasaki, M.
Iversen, H.H. *see* Wiklund, N.P.
Izquierdo, M., Ibañez, J., Gorostiaga, E., Garrues, M., Zuñiga, A., Antón, A., Larrión, J.L. & Häkkinen, K. Maximal strength and power characteristics in isometric and dynamic actions of the upper and lower extremities in middle-aged and older men, 57

Jalonen, J. *see* Lund, V.E.
Jebens, E. *see* Evertsen, F.

Kadi, F. *see* Monemi, M.
Katsuta, S. *see* Suwa, M.
Kawakami, T., Löwbeer, C., Valen, G. & Vaage, J. Post-ischaemic dysfunction does not correlate with release of cardiac troponin T in isolated rat hearts, 23
Kentala, E. *see* Lund, V.E.
Kis, B., Gáspár, T., Mezei, Z., Gecse, Á. & Telegdy, G. Pituitary adenylate cyclase-activating polypeptide inhibits the cyclooxygenase pathway of rat cerebral microvessels, 43
Klossner, J. *see* Lund, V.E.
Klusa, V., Svirskis, S., Opmane, B., Muceniece, R. & Wikberg, J.E.S. Behavioural responses of γ-MSH peptides administered into the rat ventral tegmental area, 99
Kompanowska-Jezierska, E., Walkowska, A. & Sadowski, J. Exaggerated volume expansion natriuresis in rats preloaded with hypertonic saline: a paradoxical enhancement by inhibition of prostaglandin synthesis, 189
Kondo, N. *see* Shibasaki, M.
Kovács, L. *see* Papp, Z.

Lammi, E. *see* Fulco, C.S.
Langley, K. *see* Aunis, D.
Larrión, J.L. *see* Izquierdo, M.
Larsson, L. *see* Biral, D.
Larsson, L. *see* Höök, P.
Larsson, L. *see* Ramamurthy, B.
Larsson, L. *see* Yu, F.
Larsson, L. The age-related motor handicap. Basic and clinical studies of skeletal muscle' – an introduction, 299
Leone, A.M. *see* Wiklund, N.P.
Lewis, S.F. *see* Fulco, C.S.
Li, X. *see* Höök, P.
Liu, J.-X. *see* Monemi, M.
Lönnqvist, P.A. Efficacy and economy of inhaled nitric oxide in neonates accepted for extra-corporeal membrane oxygenation, 175
Löwbeer, C. *see* Kawakami, T.
Lowry, J.P. *see* Fillenz, M.
Lund, V.E., Kentala, E., Scheinin, H., Klossner, J., Helenius, H., Sariola-Heinonen, K. & Jalonen, J. Heart rate variability in healthy volunteers during normobaric and hyperbaric hyperoxia, 29

Majerczak, J. *see* Zoladz, J.A.
Margreth, A., Damiani, E. & Bortoloso, E. Sarcoplasmic reticulum in aged skeletal muscle, 331
Medbø, J.I. *see* Evertsen, F.
Medvedev, O.S. *see* Nesterova, M.A.
Medvedeva, N.A. *see* Nesterova, M.A.
Mezei, Z. *see* Kis, B.
Moncada, S. *see* Wiklund, N.P.
Monemi, M., Kadi, F., Liu, J.-X., Thornell, L.-E. & Eriksson, P.-O. Adverse changes in fibre type and myosin heavy chain compositions of human jaw muscle vs. limb muscle during ageing, 339
Moore, L.G. *see* Fulco, C.S.
Muceniece, R. *see* Klusa, V.
Muza, S.R. *see* Fulco, C.S.

Naito, H. *see* Demirel, H.A.
Nakamura, T. *see* Suwa, M.
Nankova, B.B & Sabban, E.L. Multiple signalling pathways exist in the stress-triggered regulation of gene expression for catecholamine biosynthetic enzymes and several neuropeptides in the rat adrenal medulla, 1
Nesterova, M.A., Chuiko, A.A., Sokolova, R.I., Medvedev, O.S. & Medvedeva, N.A. Evidence for an anti-hypertensive factor from the adrenal medulla of SHR modulating neurogenic vasoconstriction, 195
Nosaka, K. & Sakamoto, K. Changes in plasma enzyme activity after intramuscular injection of bupivacaine into the human biceps brachii, 259
Nussey, S.S. *see* Fickling, S.A.

Opmane, B. *see* Klusa, V.

Papp, Z., Peineau, N., Szigeti, G., Argibay, J. & Kovács, L. Calcium-dependant modulation of the plateau phase of action potential in isolated ventricular cells of rabbit heart, 119
Peineau, N. *see* Papp, Z.
Pernow, J. & Wang, Q.-D. Regulation of macrophage nitric oxide synthesis by endothelial cells: a role for N^G, N^G dimethylarginine, 151
Persson, M.G. *see* Adding, L.C.
Ploug, T. *see* Fluckey, J.D.
Ploug, T. *see* Fluckey, J.D.
Ploug, T. *see* Ihlemann, J.
Powers, S.K. *see* Demirel, H.A.

Ramamurthy, B., Höök, P. & Larsson, L. An overview of carbohydrate-protein interactions with specific reference to myosin and ageing, 327
Rock, P.B. *see* Fulco, C.S.

Sabban, E.L. *see* Nankova, B.B.
Sadowski, J. *see* Kompanowska-Jezierska, E.
Sakamoto, K. *see* Nosaka, K.
Salviati, G. *see* Biral, D.
Sariola-Heinonen, K. *see* Lund, V.E.
Scheinin, H. *see* Lund, V.E.
Schiaffino, S. *see* Hughes, S.M.
Shen, M.-R., Chou, C.-Y., Hsu, K.-F., Hsu, K.-S. & Wu, M.-L. Modulation of volume-sensitive Cl^- channels and cell volume by actin filaments and microtubules in human cervical cancer HT-3 cells, 215
Shibasaki, M., Inoue, Y., Kondo, N., Aoki, K. & Hirata, K. Relationship between skin blood flow and sweating rate in prepubertal boys and young men, 105
Shoturma, D.I. *see* Barton-Davis, E.R.
Sinkjær, T. *see* Bawa, P.
Sleep, J. *see* Höök, P.
Sokolova, R.I. *see* Nesterova, M.A.
Stallknecht, B. *see* Dela, F.
Suwa, M., Nakamura, T. & Katsuta, S. Muscle fibre number is a possible determinant of muscle fibre composition in rats, 267

© 1999 Scandinavian Physiological Society

Svirskis, S. *see* Klusa, V.
Sweeney, H.L. *see* Barton-Davis, E.R.
Szigeti, G. *see* Papp, Z.
Szkutnik, Z. *see* Zoladz, J.A.

Tavi, P. *see* Han, C.
Tavi, P., Han, C. & Weckström, M. Intracellular acidosis modulates the stretch-induced changes in E-C coupling of the rat atrium, 203
Telegdy, G. *see* Kis, B.
Theander, S., Edman, Å., Fåhraeus, C., Akoev, G.N. & Grampp, W. Cl^- transport in the lobster stretch receptor neurone, 285
Thornell, L.-E. *see* Monemi, M.
Toscano, I. *see* Biral, D.
Tumer, N. *see* Demirel, H.A.

Vaage, J. *see* Kawakami, T.
Valen, G. *see* Kawakami, T.
Vallance, P. *see* Fickling, S.A.

Walkowska, A. *see* Kompanowska-Jezierska, E.
Wang, Q.-D. *see* Pernow, J.
Weckström, M. *see* Han, C.
Weckström, M. *see* Tavi, P.
Whitley, G.St.J. *see* Fickling, S.A.
Wikberg, J.E.S. *see* Klusa, V.
Wiklund, N.P., Iversen, H.H., Leone, A.M., Cellek, S., Brundin, L., Gustafsson, L.E. & Moncada, S. The role of the L-arginine/nitric oxide pathway in myocardial ischaemic and reperfusion injury, 161
Wu, M.-L. *see* Shen, M.-R.

Yu, F. *see* Biral, D.
Yu, F., Degens, H. & Larsson, L. The influence of thyroid hormone on myosin isoform composition and shortening velocity of single skeletal muscle fibres with special reference to ageing and gender, 313

Zinder, O. & Dar, D.E. Neuroactive steroids: their mechanism of action and their function in the stress response, 181
Zoladz, J.A., Szkutnik, Z., Majerczak, J. & Duda, K. Change point in CO_2 during incremental exercise test: a new method for assessment of human exercise tolerance, 49
Zuñiga, A. *see* Izquierdo, M.

© 1999 Scandinavian Physiological Society

Acta Physiol Scand 1999, **167**, 355–356

Subject index

Acid-base balance, 49
Actin, 215
Action potential, 119, 203
ADMA, 145
Adrenal demedullation, 195
Adrenal gland, 89
Adrenal medulla, 1
Adreno-associated virus, 301
Ageing, 57, 307, 317, 325, 331
Agonist-antagonist activation, 57
Alanine aminotransferase, 259
Alpha-cardiac MyHC, 339
Arrhythmia, 119
Aspartate aminotransferase, 259
Astrocytes, 275
Atrophy, 307
Autonomic nervous system, 29

Behavioural effect, 99
Blood flow, 37
BMD, 347
Bumetanide, 285

$[Ca^{2+}]$, 119
Ca^{2+}-pump, 331
Ca^{2+}-release channel/ryanodine receptor, 331
Caffeine, 111
Calcium, 89
Calmodulin, 69
Carbon dioxide, 167
Carbon dioxide output, 49
Cardiac function, 23
Carotid occlusion, 167
Catecholamines, 89
Cell-to-cell communication, 11
Cell-volume regulation, 215
Children, 175
Chloride channel, 181
Chromaffin cell, 89
Citrate synthase, 247
Connexins, 11
Contraction, 203
Creatine kinase, 259
Cutaneous vasodilation, 105
Cycling exercise, 49

2-deoxyglucose, 69, 77
2-deoxyglucose transport, 83
DEXA, 347
DIDS, 285
Dimethylarginine, 145
Dopamine β-hydroxylase, 1

Electrical stimulation, 195
Elite athletes, 247
Endothelial cell, 145, 161
Endothelium, 11, 151
Endurance exercise, 227
Enzymes, 247
Essential myosin light chains, 317
Ethacrynic acid, 285
Exercise, 69, 83
Exocytosis, 89
Extracellular fluid, 189
Extra-corporeal membrane oxygenation, 175

Fibre number, 267
Fibre size, 307
Fluid volume expansion, 189
Force-time curve, 57
Force-velocity, 57
Furosemide, 285

GABA, 285
$GABA_A$ receptor, 181
Gamma radiation, 301
Gap junctions, 11
Gender, 233
Glucose, 275
GLUT4, 69, 77
Glycerol-3-phosphate dehydrogenase, 247
Growth, 307
Guanethidine, 167

Heart, 23, 203
Heart rate variability, 29
Heat shock proteins, 227
Heredity, 267
Hindlimb perfusion, 77, 83
Hip fracture, 347
H-reflex, 241
HSP70, 227
Human wrist, 241
Humoral factor, 195
Hydroxybutyrate dehydrogenase, 247
Hyperbaric oxygen, 29
Hypertension, 11, 175
Hyperthyroid rat, 313
Hypertrophy, 307
Hypogastric nerve, 161

IGF-I, 347
In vitro motility, 327
In vitro motility assay, 325
Intracellular calcium, 203
Ion-gated channels, 181
Ischaemia, 23, 203
Isometric force, 259

K-Cl cotransporter, 285

Lactate, 49
Lactate dehydrogenase, 259
L-arginine, 151
Laser Doppler flowmetry, 105
Lateral pterygoid, 339
Lean body mass, 347
Luminol chemiluminescence, 161

© 1999 Scandinavian Physiological Society

Macrophage, 145, 161
Masseter, 339
Masticatory, 339
Maturation, 105
Maximal voluntary contraction, 233
Membrane potential, 111
Metabolism, 83
Microdialysis, 37
Microtubule, 215
Movement, 241
MRI, 259
MSH, 99
Muscle contraction, 233
Muscle damage, 259
Muscle fatigue rate, 233
Muscle fibre composition, 267
Muscle fibre types, 131, 247
Muscle power output, 49
Muscle power, 57
Muscle strength, 57
Muscle, 77, 307
Muscular endurance, 233
Muscular strength, 233
Muscular strength recovery, 233
MVC, 233
Myenteric plexus, 161
Myocardial ischaemia, 151
Myocytes, 23, 203
Myofibrillar Ca^{2+} sensitivity, 131
Myofibrillar protein isoforms, 131
Myofibrillar Sr^{2+} sensitivity, 131
Myosin, 313, 325, 327
Myosin isoforms, 131

Na^+/Ca^{2+} exchanger, 203
Natriuresis, 189
Neonates, 175
Nerve, 161
N-ethylmaleimide, 285
Neuroactive steroids, 181
Neurones, 275
Neuropeptide Y, 1
Neurotransmitters, 181
N^G, 145
N^G-dimethylarginine, 145
Nitric oxide, 145, 151, 161, 167, 175
Nitric oxide synthase, 145, 151
Non-enzymatic glycation, 327
Noradrenaline, 275

Osteoporosis, 347
Oxygen uptake, 49

Parasympathetic activity, 29
Perfusion pressure, 195
Perfusion with blood, 195
pH, 167
Phenylethanolamine *N*-methyltransferase, 1
Phosphofructokinase, 247
Power spectral analysis, 29
Proenkephaline, 1
Propionic acid, 203
Prostaglandin inhibition, 189
Protein kinase C, 69
Pulmonary, 175

Rabbit, 167
Rabbit heart, 119
Rat, 23, 267
Rat tail artery, 195
Regulatory volume decrease, 215
Renal medullary blood flow, 189
Reperfusion, 23, 151
Resistance exercise, 77
Ryanodine, 111

Sarcoplasmic reticulum, 111, 331
Secretory granule, 89
Short and long latency stretch reflexes, 241
Shortening velocity (V_0), 313, 317
SHR, 195
Signal transduction, 69
SITS, 285
Skeletal muscle, 37, 131, 267, 331
Skinned muscle fibres, 313
Smooth muscle cell, 11
Sodium orthovanadate, 285
Spinal cord injured, 37
Spindle unloading, 241
Sports, 247
Stress, 1, 89, 181
Stress proteins, 227
Succinate dehydrogenase, 247
Sweating, 105

Termodilution, 37
Thapsigargin, 111
Thermoregulation, 105
Thyroid hormone, 317
Training, 247
Transcription, 1
Transient, 119
Troponin T, 23
Type II fibre, 267
Tyrosine hydroxylase, 1

Vagotomy, 167
Vasodilatation, 151
Ventral tegmental area, 99
Visualization, 161
Volume-sensitive Cl^- channels, 215

© 1999 Scandinavian Physiological Society